


**CP- UNC-TA51L3-DS****5MP Full HD WDR IR Bullet Camera - 30Mtr.****Main Features**

- 1/2.7" 5MP PS CMOS Image Sensor
- 15fps@5MP(2592×1944) and 25/30fps@3MP(2304×1296)
- Support Starlight Function
- H.265 and H.264 triple-stream encoding
- WDR(120dB), Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC, HLC
- 2.8mm fixed lens (3.6mm optional)
- IR Range of 30 Mtrs, IP67, PoE
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro



# CP- UNC-TA51L3-DS

## 5MP Full HD WDR IR Bullet Camera - 30Mtr.



### Feature

Image Sensor  
Minimum Illumination  
Effective Pixels  
Shutter Speed  
White Balance  
Lens  
Gain Control (AGC)  
Angle of View  
Video Compression  
S/N Ratio  
Back Light Compensation  
Video Streaming  
Resolution  
Digital Zoom  
Motion detection  
Privacy Mask  
ICR  
ROI  
Bit Rate  
Protocol  
Smart Detection  
Ethernet  
User Account  
IR  
Smart Phone  
Operating Temperature  
Power Source  
Power Consumption  
Weatherproof Standard  
Casing

### Specification

1/2.7" 5MP Progressive scan CMOS  
0.03Lux/F2.0( Color,1/3s,30IRE) 0.3Lux/2.0( Color,1/30s,30IRE) 0Lux/F2.0(IR on)  
2592(H) x 1944(V)  
Auto/Manual, 1/3~1/100000s  
Auto/Natural/Street Lamp/Outdoor/Manual  
2.8mm (3.6 mm optional)  
Auto/Manual  
H:96°/78°, V:70°/58°  
H.265+/H.265/H.264+/H.264  
More than 50dB  
BLC / HLC / WDR(120dB)  
5M(1 ~ 15fps), D1(1 ~ 15fps) , 720P(1 ~ 15fps)  
5MP(2592x1944)/4MP(2688x1520/2560x1440)/3MP(2304x1296)/1080P(1920x1080)/720P  
(1280x720)/ D1(704x576/704x480)/ VGA(640x480)/CIF(352x288/352x240)  
16x  
Off / On (4 Zone, Rectangle)  
Off / On (4 Area, Rectangle)  
Auto(ICR)/Color/B/W  
Off / On (4 Zone)  
H.265: 12K ~ 8448Kbps H.264: 32K ~ 10240Kbps  
HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPOE; IPv4/v6; SNMP;  
QoS; UPnP; NTP; ONVIF, PSIA, CGI  
Tripwire, Intrusion  
RJ-45 (10/100Base-T)  
20 Users  
IR Range of 30 Mtr.  
iPhone, iPad, Android Phone  
-30°C~+60°C , Less than 95%RH  
DC12V, PoE (IEEE 802.3af)  
<4.85W  
IP67  
Metal+ Plastic



 **CP- UNC-TA51L3-DS****5MP Full HD WDR IR Bullet Camera - 30Mtr.****Feature**

Dimension

Weight

**Specification**

Φ70mm×164.7mm(2.76"x6.49")

0.38Kg